

Bolero Pico Latte Touch




Placement and connections

Please observe the guidelines to maximize safety and performance

units of measurement = mm

Please consult your local JDE Professional helpdesk for more information and explanation.

Please see the product brochure for more detailed information regarding range of available drinks, specifications, options and accessories.



⚡ POWER SUPPLY

Power consumption (rated): 2230 W (230V)
Wall outlet with earth connection
(in compliance with your local regulations),
230VAC/50Hz, 16A

Distance from machine : <1 mtr.

An additional power outlet is required for an optional cold water unit or accessories.

💧 WATER CONNECTION

(in compliance with your local regulations)

Copper piping (or similar material - approved for drinking water supply)

Non-return valve (mandatory in many countries – check your local regulations)

Water tap : 3/4" or 3/8"

Distance from machine : <1 m

Water hose length : 1000 mm

Dynamic pressure : min. 1 bar at 10 L/min

Static pressure : max. 8 bar non-shock

📏 DIMENSIONS

H 592 mm x W 189 mm x D 440 mm

(add 100 at both sides of the machine for service/maintenance purpose and ventilation)

Total space required:

H 920 mm x W 389 mm x D 520 mm

Empty weight : ca. 11,1 kg

Operational weight : ca. 13,5 kg

🔧 OTHER

- ❗ The electrical socket should not be located within a distance of 30 cm/12" or below the water connection point.
- ❗ The wall socket and water stop valve should be located in the same room as the equipment and easily accessible.
- ❗ Do not use power extension cords.
The equipment is only suitable for indoor use.
(temperature: 1 ~ 32 °C, humidity: <80% RH)
- ❗ Place the equipment on a stable surface or furniture, capable of supporting its total weight.

Bolero Pico Latte Touch



Options and water treatment


Information concerning options,
water filters and -softeners.

units of measurement = mm


Please consult your local JDE Professional
helpdesk for more information and
explanation.

Please see the product brochure for more
detailed information regarding range of
available drinks, specifications, options
and accessories.

1



2



💡 EXPLANATION

1. WATER FILTER

A filter may be necessary to
optimize the water quality
The max required space is:
540 (h) x 130 (b) x 130 (d)

2. WATER SOFTENING (> 10 ° DH)

A water softener is necessary
if the water hardness exceeds 10 ° DH.
The type required depends on the
water hardness and daily number of
consumptions.

The max required space is:
580 mm (l) x 150 mm (w) x 150 mm (d)

Bolero Pico Latte Touch




Dimensions in detail


Additional detailed information concerning dimensions.

units of measurement = mm


Please consult your local JDE Professional helpdesk for more information and explanation.
Please see the product brochure for more detailed information regarding range of available drinks, specifications, options and accessories.



Side view with opened top cover
(+80 mm space at the rear side)



Front side
(100 mm at both sides of the machine for service/maintenance and ventilation)



Rear side

Bolero Pico Latte Touch



Dimensions in detail

Additional detailed information concerning dimensions of the height extension kit

units of measurement = mm

Please consult your local JDE Professional helpdesk for more information and explanation.

Please see the product brochure for more detailed information regarding range of available drinks, specifications, options and accessories.

